

Application  
Number

SEARCH

IDS Flag Clearance for Application 10696995

IDS  
Information

Content	Mailroom Date	Entry Number	IDS Review	Reviewer
M844	02-18-2004	24	<input checked="" type="checkbox"/>	04-22-2004 11:01:03 adavid
M844	01-23-2006	49	<input checked="" type="checkbox"/>	03-23-2006 13:27:51 BShrivastav

UPDATE

## Refine Search

### Search Results -

Term	Documents
(9 AND 3).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5
(L9 AND L3 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Thursday, March 23, 2006   [Printable Copy](#)   [Create Case](#)

**Set Name Query**  
side by side

**Hit Count Set Name**  
result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*

<u>L11</u>	L9 and L3	5	<u>L11</u>
<u>L10</u>	L9 and borehole	1	<u>L10</u>
<u>L9</u>	L7 and (formation)	21	<u>L9</u>
<u>L8</u>	L7 and (earth adj formation)	1	<u>L8</u>
<u>L7</u>	L6 and L5	56	<u>L7</u>
<u>L6</u>	L4 and hyperpolar\$4	443	<u>L6</u>
<u>L5</u>	L4 and (thermal adj equilibrium)	629	<u>L5</u>
<u>L4</u>	L3 and (magnetic adj resonance) or NMR or MNI	167572	<u>L4</u>
<u>L3</u>	324/300-322.ccls.	8796	<u>L3</u>
<u>L2</u>	324/300-322	57	<u>L2</u>
<u>L1</u>	6958604	2	<u>L1</u>

END OF SEARCH HISTORY

## Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 2 of 2 returned.

- ☐ 1. Document ID: US 6958604 B2, US 20040257075 A1, GB 2405939 A, DE 1004030276 A1, CN 1611965 A    Relevance Rank: 99

Using default format because multiple data bases are involved.

L1: Entry 2 of 2

File: DWPI

Oct 25, 2005

DERWENT-ACC-NO: 2005-057101

DERWENT-WEEK: 200570

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Obtaining nuclear magnetic resonance measurements in wellbore used for characterizing formation fluids, by inducing static magnetic field, applying oscillating magnetic field, and acquiring nuclear magnetic resonance measurements

INVENTOR: AN, L; GANESAN, K ; SONG, Y

PRIORITY-DATA: 2003US-0601460 (June 23, 2003)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<u>US 6958604 B2</u>	October 25, 2005		000	G01V003/00
<u>US 20040257075 A1</u>	December 23, 2004		021	G01V003/00
<u>GB 2405939 A</u>	March 16, 2005		000	G01V003/32
<u>DE 1004030276 A1</u>	May 12, 2005		000	G01V003/32
<u>CN 1611965 A</u>	May 4, 2005		000	G01V003/26

INT-CL (IPC): G01 R 33/30; G01 R 33/54; G01 V 3/00; G01 V 3/26; G01 V 3/32;  
G01 V 3/38

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	Keywords	Drawings
------	-------	----------	-------	--------	----------------	------	-----------	--------	----------	----------

- ☐ 2. Document ID: US 6958604 B2    Relevance Rank: 99

L1: Entry 1 of 2

File: USPT

Oct 25, 2005

US-PAT-NO: 6958604

DOCUMENT-IDENTIFIER: US 6958604 B2

TITLE: Apparatus and methods for J-edit nuclear magnetic resonance measurement

DATE-ISSUED: October 25, 2005

## INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
An; Li	Sugar Land	TX		
Song; Yi-Qiao	Ridgefield	CT		
Ganesan; Krishnamurthy	Sugar Land	TX		

## ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE	CODE
Schlumberger Technology Corporation	Sugar Land	TX				02

APPL-NO: 10/601460 [PALM]

DATE FILED: June 23, 2003

INT-CL-ISSUED: [07] G01 V 3/00

US-CL-ISSUED: 324/303; 324/300

US-CL-CURRENT: 324/303; 324/300

FIELD-OF-CLASSIFICATION-SEARCH: 324/303, 324/300, 324/309, 324/307, 324/310, 436/173

See application file for complete search history.

## PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>5043664</u>	August 1991	Kunz	324/307
<u>5317261</u>	May 1994	Den Hollander et al.	324/309
<u>5629623</u>	May 1997	Sezginer et al.	
<u>5914598</u>	June 1999	Sezginer et al.	
<u>5955883</u>	September 1999	Hennig	
<u>6104191</u>	August 2000	Hurd	324/310
<u>6111408</u>	August 2000	Blades et al.	324/303
<u>6111409</u>	August 2000	Edwards et al.	324/303
<u>6140812</u>	October 2000	Russell et al.	
<u>6147490</u>	November 2000	Watanabe	324/307
<u>6232778</u>	May 2001	Speier et al.	
<u>6237404</u>	May 2001	Crary et al.	
<u>6246236</u>	June 2001	Poitzsch et al.	
<u>6255817</u>	July 2001	Poitzsch et al.	
<u>6291995</u>	September 2001	Speier et al.	
<u>6297632</u>	October 2001	Speier	
<u>6326784</u>	December 2001	Ganesan	
<u>6346813</u>	February 2002	Kleinberg	
<u>6366089</u>	April 2002	Poitzsch et al.	
<u>6373248</u>	April 2002	Poitzsch et al.	
<u>6392410</u>	May 2002	Luong et al.	
<u>6400149</u>	June 2002	Luong et al.	

<u>6472870</u>	October 2002	Bendall et al.	324/307
<u>6492809</u>	December 2002	Speier et al.	
<u>6518757</u>	February 2003	Speier	
<u>6518758</u>	February 2003	Speier et al.	
<u>6528995</u>	March 2003	Speier et al.	
<u>6531869</u>	March 2003	Speier et al.	
<u>6538438</u>	March 2003	Speier et al.	
<u>6566874</u>	May 2003	Speier et al.	
<u>6570381</u>	May 2003	Speier et al.	
<u>6617169</u>	September 2003	Ke et al.	436/173
<u>2002/0075000</u>	June 2002	Prammer et al.	

## FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
0 514 978	November 1992	EP	
1 098 204	May 2001	EP	
2 396 016	June 2004	GB	

## OTHER PUBLICATIONS

EL Hahn & DE Maxwell, "Spin Echo Measurements of Nuclear Spin Coupling in Molecules," Physical Rev. 88, No. 5, pp. 1070-1084 (1952).

L Muller, A Kumar & RR Ernst, "Two-dimensional Carbon-13 NMR Spectroscopy," J. Phys. Chem. 63, pp. 5490-5491 (1975).

FD Doty, RR Inners & PD Ellis, "A Multinuclear Double-Tuned Probe for Applications with Solids or Liquids utilizing Lumped Tuning Elements," J. Magnetic Res. 43, pp. 399-416 (1981).

MH Levitt, "Symmetrical Composite Pulse Sequences for NMR Population Inversion," J. Magnetic Res. 48, pp. 234-264 (1982).

MH Leavitt & R Freeman, "NMR Population Inversion using a Composite Pulse," J. Magnetic Res. 33, pp. 473-476 (1979).

SR Hartmann & EL Hahn, "Nuclear Double Resonance in the Rotating Frame," Phys. Rev. 128, No. 5, pp. 2042-2053 (1962).

GA Morris & R Freeman, "Enhancement of Nuclear Magnetic Resonance Signals by Polarization Transfer," J. Am. Chem. Soc. 101, No. 3, pp. 760-762 (1970).

LA Davis et al., "The Modulation of Coupled Relaxation in Porous Media," Magnetic Resonance Imaging 19 (pp. 369-373 (2001).

TJ Norwood et al., "Measurement of the Scalar Coupling and Transverse Relaxation Times of Doublets," Journal of Magnetic Resonance Series A 101, pp. 109-112 (1993).

ART-UNIT: 2859

PRIMARY-EXAMINER: Shrivastav; Brij B.

ATTY-AGENT-FIRM: McEnaney; Kevin P. Echols; Brigitte L. Segura; Victor H.

## ABSTRACT:

A method for obtaining nuclear magnetic resonance measurements includes inducing a static magnetic field in a formation fluid sample; applying an oscillating magnetic

field to the fluid sample according to a preparation pulse sequence that comprises a J-edit pulse sequence for developing J modulation; and acquiring the nuclear magnetic resonance measurements using a detection sequence, wherein the detection sequence comprises at least one 180-degree pulse. The method may further include acquiring the nuclear magnetic resonance measurements a plurality of times each with a different value in a variable delay in the J-edit pulse sequence; and analyzing amplitudes of the plurality of nuclear magnetic resonance measurements as a function of the variable delay to provide J coupling information.

30 Claims, 14 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWAC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Term	Documents
"6958604"	2
6958604S	0
"6958604".PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(6958604 ).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Display Format:  Change Format

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

## Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 5 of 5 returned.

- ☐ 1. Document ID: US 20040119471 A1 Relevance Rank: 58

Using default format because multiple data bases are involved.

L11: Entry 2 of 5

File: PGPB

Jun 24, 2004

PGPUB-DOCUMENT-NUMBER: 20040119471

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040119471 A1

TITLE: Downhole high resolution NMR spectroscopy with polarization enhancement

PUBLICATION-DATE: June 24, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Blanz, Martin	Celle		DE
Kruspe, Thomas	Wienhausen		DE

US-CL-CURRENT: 324/303

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	Keywords	Drawings
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	----------	----------

- ☐ 2. Document ID: US 5789921 A Relevance Rank: 50

L11: Entry 5 of 5

File: USPT

Aug 4, 1998

US-PAT-NO: 5789921

DOCUMENT-IDENTIFIER: US 5789921 A

**\*\* See image for Certificate of Correction \*\***

TITLE: Magnetic resonance imaging using hyperpolarized noble gases

DATE-ISSUED: August 4, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Albert; Mitchell S.	Shoreham	NY		
Balamore; Dilip	Shoreham	NY		
Cates, Jr.; Gordon D.	Skillman	NJ		
Driehuys; Bastiaan	Bristol	PA		

Happer; William	Princeton	NJ
Saam; Brian	Princeton	NJ
Wishnia; Arnold	Setauket	NY

## ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY	TYPE	CODE
The Research Foundation of State University of New York	Alabnay	NY				02	
The Trustees of Princeton University	Princeton	NJ				02	

APPL-NO: 08/485356 [PALM]  
 DATE FILED: June 7, 1995

## PARENT-CASE:

This is a divisional of application Ser. No. 08/225,243 filed on Ap. 8, 1995, now U.S. Pat. No. 5,545,396.

INT-CL-ISSUED: [06] G01 V 3/00

US-CL-ISSUED: 324/300; 324/304, 128/653.4

US-CL-CURRENT: 324/300; 324/304, 600/420

FIELD-OF-CLASSIFICATION-SEARCH: 324/300, 324/304, 324/312, 324/307, 324/309, 128/653.4, 128/654

See application file for complete search history.

## PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>4450407</u>	May 1984	Kwon et al.	324/304
<u>4586511</u>	May 1986	Clark, Jr.	128/653
<u>4775522</u>	October 1988	Clark, Jr.	424/9
<u>4793357</u>	December 1988	Lindstrom	128/654
<u>4862359</u>	August 1989	Trivedi et al.	364/413.05
<u>4996041</u>	February 1991	Arai et al.	424/9
<u>5357959</u>	October 1994	Fishman	128/653.4
<u>5433196</u>	July 1995	Fiat	128/653.4

## OTHER PUBLICATIONS

Wyrwicz, A.M., Schofield, J.C., Tillman, P.C., Gordon, R.E., and Martin, P.A., Science, 222:428 (1983).  
 Miller, K.W., Reo, N.V., Uiterkamp, A.J.M.S., Stengle, D.P., Stengle, T.R., and Williamson, K.L., Proc. Nat'l Acad. Sci. USA, 78:4946 (1981).  
 Evers, A.S., Berkowitz, B.A., and d'Avignon, D.A., Nature, 328:157 (1987).  
 Wyrwicz, A.M., Li, Y.-E., and Schofield, J.C., FEBS Lett., 162:334 (1983).  
 Burt, C.T., Moore, R.R., Roberts, M.F., and Brady, T.J., Biochim. Biophys. Acta., 805:375 (1984).  
 Burt, C.T., Moore, R.R., and Roberts, M.F., J. Magn. Reson., 53:163 (1983).  
 Lockhart, S.H., Cohen, Y., Yasuda, N., Kim, F., Litt, L., Eger, E.I., Chang, L.-H.,



- and James, T., *Anesthesiology*, 73:455 (1990).
- Mason, J., in *Multinuclear NMR*, Mason, J., ed., pp. 606-607, Plenum Press, New York (1987).
- Barany, M., Spigos, D.G., Mok, E., Venkatasubramanian, P.N., Wilbur, A.C., and Langer, B.G., *Magn. Reson. Imaging*, 5:393 (1987).
- Fullerton, G.D., and Cameron, I.L., Chapter 3 in *Biomedical Magnetic Resonance Imaging: Principles, Methodology, and Applications*, Wehrli, F.W., Shaw, D.S., and Kneeland, J.B., eds., pp. 115-155, VCH Publishers, New York (1988).
- Susskind, H., Atkins, H.L., Kloppe, J.K., Ansari, A.N., Richards, P., and Fairchild, R.G., *Prog. Nucl. Med.*, 5:144 (1978).
- Susskind, H., Ellis, K.J., Atkins, H.L., Cohn, S.H., and Richards, P., *Prog. Nucl. Med.*, 5:13 (1978).
- Kendall, B.E. and Moseley, I.F., *J. Neuroradiology*, 8:3 (1981).
- Imai, A., Meyer, J.S., Kobari, M., Ichijo, M., Shinohara, T., and Oravez, W.T., *Neuroradiology*, 30:463 (1988).
- Yonas, H., Sekhar, L., Johnson, D.W., and Gur, D., *Neurosurgery*, 24:368 (1989).
- Albert, M.S., Springer, C.S., Murphy, R., and Wishnia, A., Abs., 11th Ann. Mtg. Soc. Magn. Reson. Med., 2104 (1992).
- Albert, M.S., Springer, C.S., and Wishnia, A., Abs., 11th Ann., Mtg. Soc. Magn. Reson. Med., 4710 (1992).
- Jameson, C.J., Jameson, A.K., and Hwang, J.K., *J. Chem. Phys.*, 89:4074 (1988).
- Carver, T.R., *Science*, 141:599 (1963).
- Happer, W., Miron, E., Schaefer, S., Schreiber, D., van Wijngaarder, W.A., and Zeng, X., *Phys. Rev. A*, 29:3092 (1984).
- Wagshul, M.E., and Chupp, T.E., *Phys. Rev. A*, 40:4447 (1989).
- Wagshul, M.E., Thesis, Department of Physics, Harvard University (1991).
- Grover, B.C., *Phys. Rev. Lett.*, 40:391 (1978).
- Schaefer, S.R., Cates, G.D., Chien, T.-R., Gonatas, D., Happer, W., and Walker, T.G., *Phys. Rev. A*, 39:5613 (1989).
- Schaefer, S.R., Cates, G.D., and Happer, W., *Phys. Rev. A*, 41:6063 (1990).
- Scheerer, L.D., in *Phys. Rev. Lett.*, 21:660 (1968).
- Scheerer, L.D., in *Phys. Rev.*, 188:505 (1969).
- Scheerer, L.D., in *Phys. Rev.*, 180:83 (1969).
- Colegrove, F.D., Scheerer, L.D., and Walters, G.K., *Phys. Rev.*, 132:2561 (1963).
- Hadeishi, T., and Liu, C.-H., *Phys. Rev. Lett.*, 19:211 (1967).
- Scheerer, L.D., *Phys. Lett.*, 28A:660 (1969).
- Cates, G.D., Benton, D.R., Gatzke, M., Happer, W., Hasson, K.C., and Newbury, N.R., *Phys. Rev. Lett.*, 65:2591 (1990).
- Gatzke, M., Cates, G.D., Driehuys, B., Fox, D., Happer, W., and Saam, B., *Phys. Rev. Lett.*, 70:690 (1993).
- Bhaskar, N.D., Happer, W., and McClelland, T., *Phys. Rev. Lett.*, 49:25 (1982).
- Cates, G.D., Fitzgerald, R.J., Barton, A.S., Bogorad, P., Gatzke, M., Newbury, N.R., and Saam, B., *Phys. Rev. A*, 45:4631 (1992).
- Rafferty, D., Long, H., Meersmann, T., Grandinetti, P.J., Reven, L., and Pines, A., *Phys. Rev. Lett.*, 66:584 (1991).
- Rafferty, D., Long, H., Reven, L., Tang, P., and Pines, A., *Chem. Phys. Lett.*, 191:385 (1992).
- Long, H.W., Gaede, H.C., Shore, J., Reven, L., Bowers, C.R., Kritzenberger, J., Pietrass, T., and Pines, A., *J. Am. Chem. Soc.*, 115:8491 (1993).
- Rinck et al., *An Introduction to Magnetic Resonance in Medicine* (1990).
- Stark et al., eds., *Magnetic Resonance Imaging*, vol. 1, 2d ed. (1992) Chapters 1 and 2.
- Hunt E.R., and Carr, H.Y., *Phys. Rev.*, 130:2302 (1963).
- Tilton, Jr., R.F., and Kuntz, Jr., I.D., *Biochemistry*, 21:6850 (1982).
- Diehl, P., and Jokisaari, J., *J. Magn. Reson.*, 88:669 (1990).
- Cullen, S.C., and Gross, E.G., *Science*, 113:580 (1951).
- Wilcock, R.J., Battino, R., Danforth, W.F., and Wilhelm, E., *J. Chem. Thermodyn.*, 10:317 (1978).
- Blumgart, H.L., and Weiss, S., *J. Clin. Invest.*, 4:339-425 (1927).
- Pollack, G.L., Himm, J.F., and Enyeart, J.J., *J. Chem. Phys.*, 81:3239 (1984).

Wishnia, A., *Biochemistry*, 8:5064 (1969).  
Bouchiat, M.A., Carver, T.R., and Varnum, C.M., *Phys. Rev. Lett.*, 5:373 (1960).  
Zeng, X., Wu, Z., Call, T., Miron, E., Schreiber, D., and Happer, W., *Phys. Rev. A*, 31:260 (1985).  
Laloe, F., Nacher, P.J., Leduc, M., and Schearer, L.D., *AIP Conf. Proc.* #131 (Workshop on Polarized  $^3\text{He}$  Beams and Targets) (1984).  
Ernst et al., *Principles of Nuclear Magnetic Resonance in One and Two Dimensions* (1987).  
Wehrli, F.W., et al., eds., *Biomedical Magnetic Resonance Imaging* (1988).  
Schoenborn, B.P., *Nature*, 208:760 (1965).  
Moschos, A., and Reisse, J., *J. Mag. Reson.*, 95:603 (1991).  
Yonas, H., Laligam, S., Johnson, D.W., and Gur, D., *Neurosurgery*, 24:368 (1989).  
Manabe, A., Miyazaki, T., and Toyoshima, H., *Magn. Reson. in Med.*, 5:492-501 (1987).  
Haase, A., Frahm, J., Matthaei, D., Hanicke, W., and Merboldt, K.D., *J. Magn. Reson.*, 67:217 (1986).  
Look, D.C., and Locker, D.R., *Rev. Sci. Instrum.*, 41:250-251 (1970).  
Norberg, R.E., in *Rare Gas Solids*, eds. Hohler, G., Springer-Verlag, New York (1984).  
Yen, W.M., and Norberg, R.E., *Phys. Rev.*, 131:269 (1963).  
Kaplan, H.M., Brewer, N.R., and Blair, W.H., in *The Mouse in Biomedical Research*, eds. Foster, H.L., Small, J.D., and Fox, J.G., pp. 248-278, Academic Press, New York (1983).  
Knudsen, G.M., Pettigrew, K.D., Patlak, C.S., and Paulson, O.B., *Am. J. Physiol.*, In Press.  
Kanal, E., and Wehrli, F.W., Chapter 2 in *Biomedical Magnetic Imaging*, Wehrli, F.W., Shaw, D., and Kneeland, J.B., eds., pp. 47-112, VCH Publishers, New York (1988).  
Pollack, G.L., and Himm, J.F., *J. Chem. Phys.*, 77:3221-3229 (1982).  
Robillard, Jr., K.A., and Wishnia, A., *Biochemistry*, 11:3835-3840 (1972).  
Albert et al., *Chem. Abstracts* 121:128933r (1994).  
Pfeffer, M., *Chem. Abstracts* 121:174319 (1994).

ART-UNIT: 225

PRIMARY-EXAMINER: Arana; Louis M.

ATTY-AGENT-FIRM: Hoffmann & Baron

ABSTRACT:

A method of imaging a spatial distribution of a noble gas by nuclear magnetic resonance spectrometry includes detecting a spatial distribution of at least one noble gas by NMR spectrometry and generating a representation of said spatial distribution of the noble gas. The noble gas is selected from noble gas isotopes having nuclear spin, preferably Xenon-129 and/or Helium-3. The noble gas is at least thermally or equilibrium polarized and is preferably hyperpolarized, most preferably hyperpolarized by optical (laser) pumping in the presence of an alkali metal or by metastability exchange. The generation of the representation of the noble gas spatial distribution includes at least one dimension, preferably 2 or 3 dimensions of the spatial distribution. The noble gas may be imaged according to the invention in chemical or biological systems, preferably in a human or animal subject or organ system or tissue thereof. Also, apparatus for nuclear magnetic resonance imaging of the spatial distribution of at least one noble gas includes means for imaging a noble gas by NMR spectrometry and means for providing and/or storing imageable quantities of a noble gas, preferably hyperpolarized Xenon-129 and/or Helium-3. Also, a medical composition includes a medically acceptable bifunctional gas effective for in vivo anesthesiological and NMR imaging functions,

including at least one noble gas, preferably hyperpolarized Xenon-129 and/or Helium-3.

9 Claims, 19 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	FIGS	Draw. F.
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 3. Document ID: US 20050200356 A1      Relevance Rank: 48

L11: Entry 1 of 5

File: PGPB

Sep 15, 2005

PGPUB-DOCUMENT-NUMBER: 20050200356

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050200356 A1

TITLE: Method for measuring the nuclear magnetic resonance (NMR) of substances having hyperpolarized nuclei using continuously refocused multiecho spectroscopic imaging

PUBLICATION-DATE: September 15, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Hennig, Juergen	Freiburg		DE

APPL-NO: 11/076554      [PALM]

DATE FILED: March 9, 2005

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	DOC-ID	APPL-DATE
DE	10 2004 011 874.4	2004DE-10 2004 011 874.4	March 11, 2004

INT-CL-PUBLISHED: [07] G01 V 3/00

US-CL-PUBLISHED: 324/307; 324/309, 324/310

US-CL-CURRENT: 324/307; 324/309, 324/310

REPRESENTATIVE-FIGURES: 4

ABSTRACT:

A nuclear magnetic resonance (NMR) method for spatially resolved measurement of the distribution of signals of metabolites of different resonance frequencies by application of a sequence of radio-frequency pulses and switched magnetic fields, wherein the generated signals are generated by application of read gradients in a spatially encoded manner in the direction of these gradients, is characterized in that, after a time interval  $TR/2$ , the initially excited magnetization is subjected to a sequence of several radio frequency pulses, which are equally spaced by time intervals  $TR$ , and the used magnetic field gradients in each  $TR$  interval are applied such that the originally excited magnetization is repeatedly refocused in several

TR intervals and thereby read out several times, several signals are generated within one TR interval by multiple inversion of the read gradient, and the signals which are read-out several times are each identically spatially encoded by application of phase encoding gradients and therefore differ only with respect to dephasing given by the respective resonance frequency, such that the individual signals at any read-out time can subsequently be associated with the signal contributions of the examined substances of different resonance frequencies. This method permits chemical shift selective measurement of hyperpolarized metabolites.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	MMI	Draw U.
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

☐ 4. Document ID: US 6453188 B1      Relevance Rank: 42

L11: Entry 4 of 5

File: USPT

Sep 17, 2002

US-PAT-NO: 6453188

DOCUMENT-IDENTIFIER: US 6453188 B1

TITLE: Method of magnetic resonance imaging

DATE-ISSUED: September 17, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Ardenkjaer-Larsen; Jan Henrik	Malmo			SE
Axelsson; Oskar	Malmo			SE
Golman; Klaes	Malmo			SE
Hansson; Georg	Malmo			SE
Leunbach; Ib	Dragor			DK
Petersson; Stefan	Malmo			SE
Wistrand; Lars-Goran	Malmo			SE

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Amersham Health AS	Oslo			NO	03

APPL-NO: 09/333910      [PALM]

DATE FILED: June 16, 1999

PARENT-CASE:

This application is a continuation of pending international application number PCT/GB98/00021 filed Jan. 5, 1998 (of which the entire disclosure of the pending, prior application is hereby incorporated by reference), which itself is a continuation-in-part of U.S. provisional application No. 60/066,573 filed Nov. 26, 1997; benefit of which is claimed under 35 U.S.C. 119(e).

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
GB	9700256	January 8, 1997
GB	9724590	November 20, 1997

GB

9725364

November 28, 1997

INT-CL-ISSUED: [07] A61 B 5/05

US-CL-ISSUED: 600/420; 424/9.3, 324/307, 324/309

US-CL-CURRENT: 600/420; 324/307, 324/309, 424/9.3

FIELD-OF-CLASSIFICATION-SEARCH: 600/420, 600/410, 324/307, 324/309, 424/9.3

See application file for complete search history.

PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>5617859</u>	April 1997	Souza et al.	600/420
<u>5785953</u>	July 1998	Albert et al.	424/9.3
<u>H1968</u>	June 2001	Bernstein	600/410
<u>6278893</u>	August 2001	Ardenkjaer-Larson et al.	600/420

## FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
WO 95 27438	October 1995	WO	
WO 95/27438	October 1995	WO	

## OTHER PUBLICATIONS

XP 002034982, MR Imaging with Hyperpolarized .sup.3 He Gas, Hunter Middleton, Robert D. Black, Brian Saam, Gordon D. Cates, Gary P. Cofer, Robert Guenther, William Happer, Lawrence W. Hedlund, G. Alan Johnson, Kim Juvan, John Swartz, MRM 33:271-275 (1995).

XP 000304183, The Use of Dynamically Polarized Contrast Agents, 2244 Research Disclosure (1993) Apr., No. 348, Emsworth, GB.

"The use of dynamically polarized contrast agents", Research Disclosure, No. 348, 1993, p. XP000304183, see whole document.

H. Middleton et al., "Mr. Imaging with Hyperpolarized 3He Gas", Magnetic Resonance In Medicine, vol. 33, 1995, pp. 271-275, XP002034982, see whole document.

ART-UNIT: 3737

PRIMARY-EXAMINER: Casler; Brian L.

ATTY-AGENT-FIRM: Bacon &amp; Thomas

## ABSTRACT:

The invention relates to a method of magnetic imaging (MR) of a living sample comprising the steps of hyperpolarizing a hyperpolarizable gas ex-vivo and transferring the nuclear polarization from the hyperpolarized gas to the nuclei of an MR imaging agent, that is not hyperpolarizable, that is exposed to a uniform magnetic field and that is introduced in contact to the hyperpolarizable gas,

separating the hyperpolarizable gas from the MR imaging agent, administering the MR imaging agent to the living sample, exciting NMR transitions in the nuclei of the imaging agent and detecting an NMR signal thereof.

12 Claims, 8 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	IMAC	Draw. F.
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 5. Document ID: US 6574495 B1 Relevance Rank: 30

L11: Entry 3 of 5

File: USPT

Jun 3, 2003

US-PAT-NO: 6574495

DOCUMENT-IDENTIFIER: US 6574495 B1

TITLE: Para-hydrogen labelled agents and their use in magnetic resonance imaging

DATE-ISSUED: June 3, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Golman; Klaes	Malmo			SE
Axelsson; Oskar	Malmo			SE
Johannesson; Haukur	Malmo			SE
Olofsson; Charlotte	Malmo			SE
Mansson; Sven	Malmo			SE
Petersson; Stefan	Malmo			SE

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Amersham Health AS	Oslo			NO	03

APPL-NO: 09/565450 [PALM]

DATE FILED: May 5, 2000

PARENT-CASE:

This application is a continuation of pending international application number PCT/GB98/03399 filed Nov. 12, 1998 (of which the entire disclosure of the pending, prior application is hereby incorporated by reference), which itself is a continuation-in-part of U.S. provisional applications Nos. 60/066,570, filed Nov. 26, 1997; and 60/076,924, filed Mar. 5, 1998.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
GB	9723920	November 12, 1997
GB	9800158	January 5, 1998

INT-CL-ISSUED: [07] A61 B 5/05

US-CL-ISSUED: 600/420; 600/407, 600/410, 324/307, 324/309, 424/9.3

US-CL-CURRENT: 600/420; 324/307, 324/309, 424/9.3, 600/407, 600/410

FIELD-OF-CLASSIFICATION-SEARCH: 600/407, 600/410, 600/420, 324/307, 324/309, 424/9.3

See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>5700448</u>	December 1997	Golman et al.	424/9.3

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
0 665 282	August 1995	WO	

OTHER PUBLICATIONS

Casanova et al., "phenylacetylene-1-13C", Organic Preparations and Procedures, 1969, XP002094734.

Baldwin et al., "Synthesis of chiral isoxazolidin-5-ones and their applications to the synthesis of beta-amino-alanines and beta-(N-hydroxyamino)-alanines", Tetrahedron, 1994, XP002094735.

Jordan et al., "Mechanistic and stereochemical investigation of fatty acid and polyketide biosynthesis using chiral malonates", Tetrahedron, 1991, XP002094736.

Bottomley P.A. et al., "Proton-decoupled, Overhauser-enhanced, Spatially Localized Carbon-13 Spectroscopy in Humans\*", Magnetic Resonance in Medicine, Dec. 1, 1989, XP000102293.

Barkemeyer et al., "Hetero-NMR enhancement via parahydrogen", J. Am. Chem. Soc., 1995, XP002094737.

"Ortho- and Parahydrogen: Spin Isomers of Molecular Hydrogen" <http://www.thch.uni-bonn.de/pc/bargon/PHIP/parahydrogen.html> Feb. 5, 2002.\*

Golman et al. "Parahydrogen-Induced Polarization in Imaging: Subsecond 13 C Angiography" Magnetic Resonance in Medicine 46:1-5 (2001).\*

Koch et al. "Examination of Subsequent Reaction Products Enhanced Through Parahydrogen-Induced Nuclear Polarization (PHIP)" Magnetic Resonance in Chemistry 2000; vol. 38: p. 216-220.

ART-UNIT: 3737

PRIMARY-EXAMINER: Lateef; Marvin M.

ASSISTANT-EXAMINER: Lin; Jeoyuh

ATTY-AGENT-FIRM: Bacon & Thomas

ABSTRACT:

The invention provides a method of magnetic resonance investigation of a sample, said method comprising: (i) reacting para-hydrogen enriched hydrogen with a hydrogenatable MR imaging agent precursor containing a non-hydrogen non-zero

nuclear spin nucleus to produce a hydrogenated MR imaging agent; (ii) administering said hydrogenated MR imaging agent to said sample; (iii) exposing said sample to radiation of a frequency selected to excite nuclear spin transitions of said non-zero nuclear spin nucleus in said hydrogenated MR imaging agent; (v) detecting magnetic resonance signals of said non-zero nuclear spin nucleus from said sample; and (vi) optionally, generating an image or biological functional data or dynamic flow data from said detected signals.

22 Claims, 17 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	Kwd	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Term	Documents
(9 AND 3) .PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5
(L9 AND L3 ) .PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

Display Format:

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)



## Hit List

[First Hit](#)[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 5 of 5 returned.

- ☐ 1. Document ID: US 20040119471 A1      Relevance Rank: 58

Using default format because multiple data bases are involved.

L11: Entry 2 of 5

File: PGPB

Jun 24, 2004

PGPUB-DOCUMENT-NUMBER: 20040119471

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040119471 A1

TITLE: Downhole high resolution NMR spectroscopy with polarization enhancement

PUBLICATION-DATE: June 24, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Blanz, Martin	Celle		DE
Kruspe, Thomas	Wienhausen		DE

US-CL-CURRENT: 324/303

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWD	Draw D.
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

- ☐ 2. Document ID: US 5789921 A      Relevance Rank: 50

L11: Entry 5 of 5

File: USPT

Aug 4, 1998

US-PAT-NO: 5789921

DOCUMENT-IDENTIFIER: US 5789921 A

**\*\* See image for Certificate of Correction \*\***

TITLE: Magnetic resonance imaging using hyperpolarized noble gases

DATE-ISSUED: August 4, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Albert; Mitchell S.	Shoreham	NY		
Balamore; Dilip	Shoreham	NY		
Cates, Jr.; Gordon D.	Skillman	NJ		
Driehuys; Bastiaan	Bristol	PA		

Happer; William	Princeton	NJ
Saam; Brian	Princeton	NJ
Wishnia; Arnold	Setauket	NY

## ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY	TYPE	CODE
The Research Foundation of State University of New York	Alabnay	NY				02	
The Trustees of Princeton University	Princeton	NJ				02	

APPL-NO: 08/485356 [PALM]  
 DATE FILED: June 7, 1995

## PARENT-CASE:

This is a divisional of application Ser. No. 08/225,243 filed on Ap. 8, 1995, now U.S. Pat. No. 5,545,396.

INT-CL-ISSUED: [06] G01 V 3/00

US-CL-ISSUED: 324/300; 324/304, 128/653.4

US-CL-CURRENT: 324/300; 324/304, 600/420

FIELD-OF-CLASSIFICATION-SEARCH: 324/300, 324/304, 324/312, 324/307, 324/309, 128/653.4, 128/654

See application file for complete search history.

## PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>4450407</u>	May 1984	Kwon et al.	324/304
<u>4586511</u>	May 1986	Clark, Jr.	128/653
<u>4775522</u>	October 1988	Clark, Jr.	424/9
<u>4793357</u>	December 1988	Lindstrom	128/654
<u>4862359</u>	August 1989	Trivedi et al.	364/413.05
<u>4996041</u>	February 1991	Arai et al.	424/9
<u>5357959</u>	October 1994	Fishman	128/653.4
<u>5433196</u>	July 1995	Fiat	128/653.4

## OTHER PUBLICATIONS

Wyrwicz, A.M., Schofield, J.C., Tillman, P.C., Gordon, R.E., and Martin, P.A., Science, 222:428 (1983).  
 Miller, K.W., Reo, N.V., Uiterkamp, A.J.M.S., Stengle, D.P., Stengle, T.R., and Williamson, K.L., Proc. Nat'l Acad. Sci. USA, 78:4946 (1981).  
 Evers, A.S., Berkowitz, B.A., and d'Avignon, D.A., Nature, 328:157 (1987).  
 Wyrwicz, A.M., Li, Y.-E., and Schofield, J.C., FEBS Lett., 162:334 (1983).  
 Burt, C.T., Moore, R.R., Roberts, M.F., and Brady, T.J., Biochim. Biophys. Acta., 805:375 (1984).  
 Burt, C.T., Moore, R.R., and Roberts, M.F., J. Magn. Reson., 53:163 (1983).  
 Lockhart, S.H., Cohen, Y., Yasuda, N., Kim, F., Litt, L., Eger, E.I., Chang, L.-H.,

- and James, T., *Anesthesiology*, 73:455 (1990).
- Mason, J., in *Multinuclear NMR*, Mason, J., ed., pp. 606-607, Plenum Press, New York (1987).
- Barany, M., Spigos, D.G., Mok, E., Venkatasubramanian, P.N., Wilbur, A.C., and Langer, B.G., *Magn. Reson. Imaging*, 5:393 (1987).
- Fullerton, G.D., and Cameron, I.L., Chapter 3 in *Biomedical Magnetic Resonance Imaging: Principles, Methodology, and Applications*, Wehrli, F.W., Shaw, D.S., and Kneeland, J.B., eds., pp. 115-155, VCH Publishers, New York (1988).
- Susskind, H., Atkins, H.L., Kloppe, J.K., Ansari, A.N., Richards, P., and Fairchild, R.G., *Prog. Nucl. Med.*, 5:144 (1978).
- Susskind, H., Ellis, K.J., Atkins, H.L., Cohn, S.H., and Richards, P., *Prog. Nucl. Med.*, 5:13 (1978).
- Kendall, B.E. and Moseley, I.F., *J. Neuroradiology*, 8:3 (1981).
- Imai, A., Meyer, J.S., Kobari, M., Ichijō, M., Shinohara, T., and Oravez, W.T., *Neuroradiology*, 30:463 (1988).
- Yonas, H., Sekhar, L., Johnson, D.W., and Gur, D., *Neurosurgery*, 24:368 (1989).
- Albert, M.S., Springer, C.S., Murphy, R., and Wishnia, A., *Abs.*, 11th Ann. Mtg. Soc. Magn. Reson. Med., 2104 (1992).
- Albert, M.S., Springer, C.S., and Wishnia, A., *Abs.*, 11th Ann., Mtg. Soc. Magn. Reson. Med., 4710 (1992).
- Jameson, C.J., Jameson, A.K., and Hwang, J.K., *J. Chem. Phys.*, 89:4074 (1988).
- Carver, T.R., *Science*, 141:599 (1963).
- Happer, W., Miron, E., Schaefer, S., Schreiber, D., van Wijngaarder, W.A., and Zeng, X., *Phys. Rev. A*, 29:3092 (1984).
- Wagshul, M.E., and Chupp, T.E., *Phys. Rev. A*, 40:4447 (1989).
- Wagshul, M.E., Thesis, Department of Physics, Harvard University (1991).
- Grover, B.C., *Phys. Rev. Lett.*, 40:391 (1978).
- Schaefer, S.R., Cates, G.D., Chien, T.-R., Gonatas, D., Happer, W., and Walker, T.G., *Phys. Rev. A*, 39:5613 (1989).
- Schaefer, S.R., Cates, G.D., and Happer, W., *Phys. Rev. A*, 41:6063 (1990).
- Scheerer, L.D., in *Phys. Rev. Lett.*, 21:660 (1968).
- Scheerer, L.D., in *Phys. Rev.*, 188:505 (1969).
- Scheerer, L.D., in *Phys. Rev.*, 180:83 (1969).
- Colegrove, F.D., Scheerer, L.D., and Walters, G.K., *Phys. Rev.*, 132:2561 (1963).
- Hadeishi, T., and Liu, C.-H., *Phys. Rev. Lett.*, 19:211 (1967).
- Scheerer, L.D., *Phys. Lett.*, 28A:660 (1969).
- Cates, G.D., Benton, D.R., Gatzke, M., Happer, W., Hasson, K.C., and Newbury, N.R., *Phys. Rev. Lett.*, 65:2591 (1990).
- Gatzke, M., Cates, G.D., Driehuys, B., Fox, D., Happer, W., and Saam, B., *Phys. Rev. Lett.*, 70:690 (1993).
- Bhaskar, N.D., Happer, W., and McClelland, T., *Phys. Rev. Lett.*, 49:25 (1982).
- Cates, G.D., Fitzgerald, R.J., Barton, A.S., Bogorad, P., Gatzke, M., Newbury, N.R., and Saam, B., *Phys. Rev. A*, 45:4631 (1992).
- Rafferty, D., Long, H., Meersmann, T., Grandinetti, P.J., Reven, L., and Pines, A., *Phys. Rev. Lett.*, 66:584 (1991).
- Rafferty, D., Long, H., Reven, L., Tang, P., and Pines, A., *Chem. Phys. Lett.*, 191:385 (1992).
- Long, H.W., Gaede, H.C., Shore, J., Reven, L., Bowers, C.R., Kritzenberger, J., Pietrass, T., and Pines, A., *J. Am. Chem. Soc.*, 115:8491 (1993).
- Rinck et al., *An Introduction to Magnetic Resonance in Medicine* (1990).
- Stark et al., eds., *Magnetic Resonance Imaging*, vol. 1, 2d ed. (1992) Chapters 1 and 2.
- Hunt E.R., and Carr, H.Y., *Phys. Rev.*, 130:2302 (1963).
- Tilton, Jr., R.F., and Kuntz, Jr., I.D., *Biochemistry*, 21:6850 (1982).
- Diehl, P., and Jokisaari, J., *J. Magn. Reson.*, 88:669 (1990).
- Cullen, S.C., and Gross, E.G., *Science*, 113:580 (1951).
- Wilcock, R.J., Battino, R., Danforth, W.F., and Wilhelm, E., *J. Chem. Thermodyn.*, 10:317 (1978).
- Blumgart, H.L., and Weiss, S., *J. Clin. Invest.*, 4:339-425 (1927).
- Pollack, G.L., Himm, J.F., and Enyeart, J.J., *J. Chem. Phys.*, 81:3239 (1984).

Wishnia, A., *Biochemistry*, 8:5064 (1969).  
Bouchiat, M.A., Carver, T.R., and Varnum, C.M., *Phys. Rev. Lett.*, 5:373 (1960).  
Zeng, X., Wu, Z., Call, T., Miron, E., Schreiber, D., and Happer, W., *Phys. Rev. A*, 31:260 (1985).  
Laloe, F., Nacher, P.J., Leduc, M., and Scheerer, L.D., *AIP Conf. Proc.* #131 (Workshop on Polarized  $^3\text{He}$  Beams and Targets) (1984).  
Ernst et al., *Principles of Nuclear Magnetic Resonance in One and Two Dimensions* (1987).  
Wehrli, F.W., et al., eds., *Biomedical Magnetic Resonance Imaging* (1988).  
Schoenborn, B.P., *Nature*, 208:760 (1965).  
Moschos, A., and Reisse, J., *J. Mag. Reson.*, 95:603 (1991).  
Yonas, H., Laligam, S., Johnson, D.W., and Gur, D., *Neurosurgery*, 24:368 (1989).  
Manabe, A., Miyazaki, T., and Toyoshima, H., *Magn. Reson. in Med.*, 5:492-501 (1987).  
Haase, A., Frahm, J., Matthaei, D., Hanicke, W., and Merboldt, K.D., *J. Magn. Reson.*, 67:217 (1986).  
Look, D.C., and Locker, D.R., *Rev. Sci. Instrum.*, 41:250-251 (1970).  
Norberg, R.E., in *Rare Gas Solids*, eds. Hohler, G., Springer-Verlag, New York (1984).  
Yen, W.M., and Norberg, R.E., *Phys. Rev.*, 131:269 (1963).  
Kaplan, H.M., Brewer, N.R., and Blair, W.H., in *The Mouse in Biomedical Research*, eds. Foster, H.L., Small, J.D., and Fox, J.G., pp. 248-278, Academic Press, New York (1983).  
Knudsen, G.M., Pettigrew, K.D., Patlak, C.S., and Paulson, O.B., *Am. J. Physiol.*, In Press.  
Kanal, E., and Wehrli, F.W., Chapter 2 in *Biomedical Magnetic Imaging*, Wehrli, F.W., Shaw, D., and Kneeland, J.B., eds., pp. 47-112, VCH Publishers, New York (1988).  
Pollack, G.L., and Himm, J.F., *J. Chem. Phys.*, 77:3221-3229 (1982).  
Robillard, Jr., K.A., and Wishnia, A., *Biochemistry*, 11:3835-3840 (1972).  
Albert et al., *Chem. Abstracts* 121:128933r (1994).  
Pfeffer, M., *Chem. Abstracts* 121:174319 (1994).

ART-UNIT: 225

PRIMARY-EXAMINER: Arana; Louis M.

ATTY-AGENT-FIRM: Hoffmann & Baron

#### ABSTRACT:

A method of imaging a spatial distribution of a noble gas by nuclear magnetic resonance spectrometry includes detecting a spatial distribution of at least one noble gas by NMR spectrometry and generating a representation of said spatial distribution of the noble gas. The noble gas is selected from noble gas isotopes having nuclear spin, preferably Xenon-129 and/or Helium-3. The noble gas is at least thermally or equilibrium polarized and is preferably hyperpolarized, most preferably hyperpolarized by optical (laser) pumping in the presence of an alkali metal or by metastability exchange. The generation of the representation of the noble gas spatial distribution includes at least one dimension, preferably 2 or 3 dimensions of the spatial distribution. The noble gas may be imaged according to the invention in chemical or biological systems, preferably in a human or animal subject or organ system or tissue thereof. Also, apparatus for nuclear magnetic resonance imaging of the spatial distribution of at least one noble gas includes means for imaging a noble gas by NMR spectrometry and means for providing and/or storing imageable quantities of a noble gas, preferably hyperpolarized Xenon-129 and/or Helium-3. Also, a medical composition includes a medically acceptable bifunctional gas effective for in vivo anesthesiological and NMR imaging functions,

including at least one noble gas, preferably hyperpolarized Xenon-129 and/or Helium-3.

9 Claims, 19 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	NMR	Draw U
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

☐ 3. Document ID: US 20050200356 A1      Relevance Rank: 48

L11: Entry 1 of 5

File: PGPB

Sep 15, 2005

PGPUB-DOCUMENT-NUMBER: 20050200356

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20050200356 A1

TITLE: Method for measuring the nuclear magnetic resonance (NMR) of substances having hyperpolarized nuclei using continuously refocused multiecho spectroscopic imaging

PUBLICATION-DATE: September 15, 2005

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Hennig, Juergen	Freiburg		DE

APPL-NO: 11/076554      [PALM]

DATE FILED: March 9, 2005

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	DOC-ID	APPL-DATE
DE	10 2004 011 874.4	2004DE-10 2004 011 874.4	March 11, 2004

INT-CL-PUBLISHED: [07] G01 V 3/00

US-CL-PUBLISHED: 324/307; 324/309, 324/310

US-CL-CURRENT: 324/307; 324/309, 324/310

REPRESENTATIVE-FIGURES: 4

ABSTRACT:

A nuclear magnetic resonance (NMR) method for spatially resolved measurement of the distribution of signals of metabolites of different resonance frequencies by application of a sequence of radio-frequency pulses and switched magnetic fields, wherein the generated signals are generated by application of read gradients in a spatially encoded manner in the direction of these gradients, is characterized in that, after a time interval TR/2, the initially excited magnetization is subjected to a sequence of several radio frequency pulses, which are equally spaced by time intervals TR, and the used magnetic field gradients in each TR interval are applied such that the originally excited magnetization is repeatedly refocused in several

TR intervals and thereby read out several times, several signals are generated within one TR interval by multiple inversion of the read gradient, and the signals which are read-out several times are each identically spatially encoded by application of phase encoding gradients and therefore differ only with respect to dephasing given by the respective resonance frequency, such that the individual signals at any read-out time can subsequently be associated with the signal contributions of the examined substances of different resonance frequencies. This method permits chemical shift selective measurement of hyperpolarized metabolites.

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	WWW	Draw U.
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	---------

☐ 4. Document ID: US 6453188 B1      Relevance Rank: 42

L11: Entry 4 of 5

File: USPT

Sep 17, 2002

US-PAT-NO: 6453188

DOCUMENT-IDENTIFIER: US 6453188 B1

TITLE: Method of magnetic resonance imaging

DATE-ISSUED: September 17, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Ardenkjaer-Larsen; Jan Henrik	Malmo			SE
Axelsson; Oskar	Malmo			SE
Golman; Klaes	Malmo			SE
Hansson; Georg	Malmo			SE
Leunbach; Ib	Dragor			DK
Petersson; Stefan	Malmo			SE
Wistrand; Lars-Goran	Malmo			SE

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Amersham Health AS	Oslo			NO	03

APPL-NO: 09/333910      [PALM]

DATE FILED: June 16, 1999

PARENT-CASE:

This application is a continuation of pending international application number PCT/GB98/00021 filed Jan. 5, 1998 (of which the entire disclosure of the pending, prior application is hereby incorporated by reference), which itself is a continuation-in-part of U.S. provisional application No. 60/066,573 filed Nov. 26, 1997; benefit of which is claimed under 35 U.S.C. 119(e).

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
GB	9700256	January 8, 1997
GB	9724590	November 20, 1997

GB

9725364

November 28, 1997

INT-CL-ISSUED: [07] A61 B 5/05

US-CL-ISSUED: 600/420; 424/9.3, 324/307, 324/309

US-CL-CURRENT: 600/420; 324/307, 324/309, 424/9.3

FIELD-OF-CLASSIFICATION-SEARCH: 600/420, 600/410, 324/307, 324/309, 424/9.3

See application file for complete search history.

PRIOR-ART-DISCLOSED:

## U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>5617859</u>	April 1997	Souza et al.	600/420
<u>5785953</u>	July 1998	Albert et al.	424/9.3
<u>H1968</u>	June 2001	Bernstein	600/410
<u>6278893</u>	August 2001	Ardenkjaer-Larson et al.	600/420

## FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
WO 95 27438	October 1995	WO	
WO 95/27438	October 1995	WO	

## OTHER PUBLICATIONS

XP 002034982, MR Imaging with Hyperpolarized .sup.3 He Gas, Hunter Middleton, Robert D. Black, Brian Saam, Gordon D. Cates, Gary P. Cofer, Robert Guenther, William Happer, Lawrence W. Hedlund, G. Alan Johnson, Kim Juvan, John Swartz, MRM 33:271-275 (1995).

XP 000304183, The Use of Dynamically Polarized Contrast Agents, 2244 Research Disclosure (1993) Apr., No. 348, Emsworth, GB.

"The use of dynamically polarized contrast agents", Research Disclosure, No. 348, 1993, p. XP000304183, see whole document.

H. Middleton et al., "Mr. Imaging with Hyperpolarized 3He Gas", Magnetic Resonance In Medicine, vol. 33, 1995, pp. 271-275, XP002034982, see whole document.

ART-UNIT: 3737

PRIMARY-EXAMINER: Casler; Brian L.

ATTY-AGENT-FIRM: Bacon &amp; Thomas

## ABSTRACT:

The invention relates to a method of magnetic imaging (MR) of a living sample comprising the steps of hyperpolarizing a hyperpolarizable gas ex-vivo and transferring the nuclear polarization from the hyperpolarized gas to the nuclei of an MR imaging agent, that is not hyperpolarizable, that is exposed to a uniform magnetic field and that is introduced in contact to the hyperpolarizable gas,

separating the hyperpolarizable gas from the MR imaging agent, administering the MR imaging agent to the living sample, exciting NMR transitions in the nuclei of the imaging agent and detecting an NMR signal thereof..

12 Claims, 8 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	FIG	Draw
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	------

☐ 5. Document ID: US 6574495 B1 Relevance Rank: 30

L11: Entry 3 of 5

File: USPT

Jun 3, 2003

US-PAT-NO: 6574495

DOCUMENT-IDENTIFIER: US 6574495 B1

TITLE: Para-hydrogen labelled agents and their use in magnetic resonance imaging

DATE-ISSUED: June 3, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Golman; Klaes	Malmo			SE
Axelsson; Oskar	Malmo			SE
Johannesson; Haukur	Malmo			SE
Olofsson; Charlotte	Malmo			SE
Mansson; Sven	Malmo			SE
Petersson; Stefan	Malmo			SE

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Amersham Health AS	Oslo			NO	03

APPL-NO: 09/565450 [PALM]

DATE FILED: May 5, 2000

PARENT-CASE:

This application is a continuation of pending international application number PCT/GB98/03399 filed Nov. 12, 1998 (of which the entire disclosure of the pending, prior application is hereby incorporated by reference), which itself is a continuation-in-part of U.S. provisional applications Nos. 60/066,570, filed Nov. 26, 1997; and 60/076,924, filed Mar. 5, 1998.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
GB	9723920	November 12, 1997
GB	9800158	January 5, 1998

INT-CL-ISSUED: [07] A61 B 5/05

US-CL-ISSUED: 600/420; 600/407, 600/410, 324/307, 324/309, 424/9.3



US-CL-CURRENT: 600/420; 324/307, 324/309, 424/9.3, 600/407, 600/410

FIELD-OF-CLASSIFICATION-SEARCH: 600/407, 600/410, 600/420, 324/307, 324/309, 424/9.3

See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<u>5700448</u>	December 1997	Golman et al.	424/9.3

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
0 665 282	August 1995	WO	

OTHER PUBLICATIONS

Casanova et al., "phenylacetylene-1-13C", Organic Preparations and Procedures, 1969, XP002094734.

Baldwin et al., "Synthesis of chiral isoxazolidin-5-ones and their applications to the synthesis of beta-amino-alanines and beta-(N-hydroxyamino)-alanines", Tetrahedron, 1994, XP002094735.

Jordan et al., "Mechanistic and stereochemical investigation of fatty acid and polyketide biosynthesis using chiral malonates", Tetrahedron, 1991, XP002094736.

Bottomley P.A. et al., "Proton-decoupled, Overhauser-enhanced, Spatially Localized Carbon-13 Spectroscopy in Humans\*", Magnetic Resonance in Medicine, Dec. 1, 1989, XP000102293.

Barkemeyer et al., "Hetero-NMR enhancement via parahydrogen", J. Am. Chem. Soc., 1995, XP002094737.

"Ortho- and Parahydrogen: Spin Isomers of Molecular Hydrogen" <http://www.thch.uni-bonn.de/pc/bargon/PHIP/parahydrogen.html> Feb. 5, 2002.\*

Golman et al. "Parahydrogen-Induced Polarization in Imaging: Subsecond 13 C Angiography" Magnetic Resonance in Medicine 46:1-5 (2001).\*

Koch et al. "Examination of Subsequent Reaction Products Enhanced Through Parahydrogen-Induced Nuclear Polarization (PHIP)" Magnetic Resonance in Chemistry 2000; vol. 38: p. 216-220.

ART-UNIT: 3737

PRIMARY-EXAMINER: Lateef; Marvin M.

ASSISTANT-EXAMINER: Lin; Jeoyuh

ATTY-AGENT-FIRM: Bacon & Thomas

ABSTRACT:

The invention provides a method of magnetic resonance investigation of a sample, said method comprising: (i) reacting para-hydrogen enriched hydrogen with a hydrogenatable MR imaging agent precursor containing a non-hydrogen non-zero

nuclear spin nucleus to produce a hydrogenated MR imaging agent; (ii) administering said hydrogenated MR imaging agent to said sample; (iii) exposing said sample to radiation of a frequency selected to excite nuclear spin transitions of said non-zero nuclear spin nucleus in said hydrogenated MR imaging agent; (v) detecting magnetic resonance signals of said non-zero nuclear spin nucleus from said sample; and (vi) optionally, generating an image or biological functional data or dynamic flow data from said detected signals.

22 Claims, 17 Drawing figures

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	-----	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Term	Documents
( 9 AND 3 ) .PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD.	5
( L9 AND L3 ) .PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD.	5

**Display Format:**

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)